



Peer  
Academic  
Detailing  
in General Practice



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association

# Can an educational intervention improve GPs' prescription patterns? The Rx-PAD<sup>1</sup> Study

<sup>1</sup> Prescription Peer Academic Detailing

## EURACT May 2008, Malta

Mette Brekke

Ass. Professor, Section for General Practice,  
Inst. of General Practice and Community Medicine  
University of Oslo, Norway



Peer  
Academic  
Detailing  
in General Practice

# Background

- **GPs responsible for most prescriptions**
- **Need for industry-unbiased information to GPs on drug use**
- **Develop an intervention based on peer academic detailers**
- **RCT**



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association





Peer  
Academic  
Detailing  
in General Practice

# Planning!!

- **Group based project within Section for GP**
- **Funding from the Norwegian Medical Association**



Section for  
General Practice,  
University  
of Oslo

**Needed to plan:**

- 1. Which educational interventions?**
- 2. Towards whom?**
- 3. How produce Peer Academic Detailers?**



Norwegian  
Medical  
Association



Peer  
Academic  
Detailing  
in General Practice

# 1) Interventions

## Two educational interventions:

- **Antibiotic prescription for respiratory tract infections**
- **Safer drug prescription for elderly (70 y +) patients**
- **The GPs receiving information on antibiotics should serve as controls for those in the elderly-group – and vice versa**



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association



Peer  
Academic  
Detailing  
in General Practice

## 2) Recipients

### GPs in Continuous Medical Education (CME) Groups



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association

- **Norwegian GP specialists must participate in a peer CME-group to keep up with the speciality (resertification every 5y)**
- **Usually afternoon-meetings at regular intervals**
- **Participants in each group (n ~ 6-10) know each other well**
- **In Norway, no CME-credit is given for *any* activities run or sponsored by industry**



Peer  
Academic  
Detailing  
in General Practice

## 2) Recipients: CME-Groups

- **200 CME-groups invited**
- **80 CME-groups with 540 GPs accepted**
- **Randomized to one of the two educational interventions**



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association



Peer  
Academic  
Detailing  
in General Practice

## Which teaching methods are feasible, acceptable, and effective to change GPs' behaviour?



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association





Peer  
Academic  
Detailing  
in General Practice

# Which teaching methods are feasible, acceptable, and effective to change GPs' behaviour?

## Partly an unanswered question

- Lectures? Traditional courses?
- Guidelines sent by mail?
- Expert opinions?
- Litterature? Commercials? Pharma-reps?
- Interactive groups / Audit /Personal encounter



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association



Peer  
Academic  
Detailing  
in General Practice

# "Peer Academic Detailing"

- **A specially trained colleague informs about a specific topic**
- **The GP investigates his/her own work**
- **Reflect together upon possible change**
- **One-to-one or small group setting**



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association



Peer  
Academic  
Detailing  
in General Practice

## 3) Peer Academic Detailing

- Asked the **540 GPs** how they feel about **exposing their prescription habits to colleagues**
- **94%** no problem at all or small problem



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association



Peer  
Academic  
Detailing  
in General Practice

## 3) Peer Academic Detailing

- **Head-hunted 26 GPs by personal invitation, based on reputation as potential stakeholders**
- **Two separate 2-days sessions**
- **Trained in either antibiotic treatment or in prescription to elderly**
- **Participated in elaborating the final version of the interventions**
- **Main focus on small group teaching**
- **”Carrot”**: Paid by NMA and got CME credit themselves



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association



Peer  
Academic  
Detailing  
in General Practice

# Peer Academic Detailers



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association





Peer  
Academic  
Detailing  
in General Practice

## What happened next?

- **456 GPs extracted prescription data one year back –extraction tool provided**
- **GPs received their personal results – and the results for the whole cohort**
- **Each PAD visited 3-4 CME-groups**
- **GPs exposed their results in the group and reflected upon need for change**
- **PAD provided standardised information**



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association



Peer  
Academic  
Detailing  
in General Practice

# The medical content of the intervention vs elderly

- **Focus on why to avoid single drugs with poor safety records, as well as potentially harmful drug combinations**
- **13 Rules of the thumb**
- **Alternative and safer treatment options**



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association



Peer  
Academic  
Detailing  
in General Practice



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association

## ***Disse bør du unngå å skrive ut til eldre:***

1. **Antihistaminer: Polaramin, Phenamin, Phenergan, Vallergran og Atarax**
2. **Tricykliske antidepressiva: Sarotex, Sinequan og Surmontil**
3. **Antipsykotika: Largactil, Truxal, Nozinan, Stemetil**
4. **Benzodiazepiner: Mogadon, Apodorm, Flunipam og Rohypnol**
5. **Muskelrelakserende middel: Somadril**
6. **Analgetika: Aporex, Petidin og Ketogan**
7. **KOLS/Asthma: Nuelin eller Theo-Dur**
8. **Samtidig bruk av 3 eller flere psykofarmaka i gruppene: opioidholdige analgetika, antipsykotika, hypnotika, sedativa og antidepressiva**
9. **Samtidig bruk av betablokker og Veracard, Isoptin, Cardizem Uno, Cardizem Retard eller Diltiazem**
10. **Samtidig bruk av NSAID (alle) og warfarin (Marevan)**
11. **Samtidig bruk av NSAID (alle) og diuretika**
12. **Samtidig bruk av NSAID eller Cox-II-hemmer (alle) og ACE-hemmer (alle) eller AII-blokker (alle)**
13. **Samtidig bruk av NSAID (alle) og SSRI (alle)**



Peer  
Academic  
Detailing  
in General Practice

## What happened next?

- **One year after intervention: new extraction of prescription data**
- **New visit by PAD and exposure of "results"**



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association



Peer  
Academic  
Detailing  
in General Practice

## What now?

- **The success of the intervention will lie in the results of the RCT (3 PhDs)**
- **Cost-effectiveness evaluation**
- **The *educational intervention* has been evaluated through focus group interviews of PADs and 3 CME groups – will be published**
- **Highly acceptable, some obstacles:**
  - “don’t!!”
  - Exposing diverging results
- **The cuckoos will fly again!**



Section for  
General Practice,  
University  
of Oslo



Norwegian  
Medical  
Association



Health Services Research  
Volume 6

**Viewing options:**  
Abstract  
Full text  
PDF (330KB)

**Associated material:**  
Readers' comments  
Re-publication history  
PubMed record

**Related literature:**  
Articles citing this article  
in BioMed Central  
in Google Scholar  
in ISI Web of Science  
in PubMed Central  
Other articles by authors  
Similar articles (PubMed)

**Links:**  
E-mail to a friend  
Download references  
Post a comment  
Order reprints

Corresponding author

Study protocol

Highly accessed Open Access

# A cluster-randomized educational intervention to reduce inappropriate prescription patterns for elderly patients in general practice – The Prescription Peer Academic Detailing (Rx-PAD) study [NCT00281450]

Jørund Straand<sup>1</sup> ✉, Arne Fetveit<sup>1</sup> ✉, Sture Rognstad<sup>1</sup> ✉, Svein Gjelstad<sup>1</sup> ✉, Mette Brekke<sup>1</sup> ✉ and Ingvild Dalen<sup>2</sup> ✉

<sup>1</sup>Department of General Practice and Community Medicine, University of Oslo, PO Box 1130 Blindern, 0317 Oslo, Norway

<sup>2</sup>Institute of Basic Medical Sciences, Department of Biostatistics, University of Oslo, PO Box 1122 Blindern, 0317 Oslo, Norway

*BMC Health Services Research* 2006, **6**:72 doi:10.1186/1472-6963-6-72

The electronic version of this article is the complete one and can be found online at: <http://www.biomedcentral.com/1472-6963/6/72>

**Received** 8 February 2006  
**Accepted** 11 June 2006  
**Published** 11 June 2006

© 2006 Straand et al; licensee BioMed Central Ltd.

This is an Open Access article distributed under the terms of the Creative Commons Attribution License

(<http://creativecommons.org/licenses/by/2.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.